



FINE QUALITY SURFACE SPECIALIST

| Contents

The beauty of natural stones is how they add a true elegance to a home.

- **03.** THE SELECTION PROCESS
- 06. DO'S AND DON'TS OF BUYING SURFACES
- **07.** GRANITE
- **09.** What to expect? How to care?
- 11. MARBLE
- **13.** What to expect? How to care?
- **15. ENGINEERED QUARTZ**
- **17.** What to expect? How to care?
- 19. NATURAL QUARTZITE
- **21.** What to expect? How to care?
- 23. CERAMICS
- **25.** What to expect? How to care?
- **27. DECORATIVE MARBLE**
- **28.** ONYX
- 29. LIMESTONE
- 29. TRAVERTINE
- 30. SLATE



The Selection Process

HOUSE RENOVATIONS AND NEW CONSTRUCTIONS CAN BE A DAUNTING AFFAIR AND YOU MAY NOT KNOW WHERE TO BEGIN IN SELECTING THE MATERIALS FOR YOUR SURFACES.

The beauty of natural stone is the colours and variance and the feeling you get from their touch.

Once you have the layout of your kitchen or bathroom decided, it is time to start thinking about the material you would like. With so many unique, beautiful and eye-catching natural stones and a growing array of man-made Quartz and Ceramics on offer, the choice is endless and should be the priority in your design. Matching your colours to the material is a far easier option than the other way around and allows you the freedom of choosing the surface you truly love.


At Cullifords we have a vast and varied selection of slabs on display in our impressive yard, sourced from all over the world. A visit here is highly recommended, not only can you view a large variety of blocks and slabs for your project, you can benefit from the knowledge and experience of our staff who can guide you through the selection process advising on suitability, finishes, and textures. Natural stones and man-made surfaces are a complex subject, we have names and classifications of surface types, such as hard Granites and soft Quartzites to try and make it easier to understand. Please be aware that these are our in-house labels and not intended for geological and technical identification.

Once you have chosen a surface, we will give you the details to pass onto you selected retailer or fabricator. Don't worry if you don't have anyone as we can provide contact details of people in your area. As we are a wholesaler, we do not sell direct to the customer, so the quote from the fabricator or retailer will include the cost of your chosen material, fabrication and installation.





- 01. Our Showroom
- 02. Viewing our slabs outside
- 03. Confusion Marble wall feature





Do's and Don'ts of buying surfaces

Do

Make sure you use an experienced company for installation who will seal and install the surface correctly, and who will have the honesty and knowledge to know when a material is not suitable for a particular design or use.

Do

Relax. There are many myths created around looking after stone. The single greatest myth is that it should be bulletproof. Nobody ever said this. We do not expect wood to be impervious to everyday wear and tear, nor do we expect carpets or other surfaces to be bulletproof, all surfaces will wear in different ways. But we will educate you about how the different surfaces will perform and on how best to look after them further in this guide.

Don't

Buy without viewing the actual block you will be having cut (if choosing natural stone), and don't go home without a sample for testing with a bit of wine, lemon juice or tea if you are worried about product performance. We can even seal samples before you take them. Images of each block are always available but it is always best to see the stones in real life wherever possible. Todays cameras are good, but they can change markings, colourings, and depth that can only be seen by the naked eye.

Don'

Get too caught up on prices until you get the final cost from the fabricator or retailer, remember it does not cost a thing to get a couple of quotes of different materials to see what fits your budget.

Don't

Hold back. There is so much choice; it is a shame when people choose the safe option. The natural surfaces we have are unique, indulge yourself, and pick something distinctive, so it becomes an unforgettable part of your home.





2

- 01. Azul Aran Granite kitchen
- 02. Patagonia Granite kitchen
- **03.** Verde Cristina Marble restaurant feature wall

Granite

GRANITE IS AN IGNEOUS ROCK MADE OF MINERALS SUCH AS QUARTZ, MICA, AND FELDSPAR AS WELL AS OTHER MINERALS. IT IS FORMED THROUGH THE PROCESS OF SLOW CRYSTALLISATION OF MAGMA BELOW THE EARTH'S SURFACE THAT TRAPS THESE MINERALS IN ITS STRUCTURE.

The formation of this material under high heat temperatures generates its hardness and durability. The variety and abundance in the minerals allow distinctive patterns, textures, and crystals to form. The colour choice is vast from off whites, reds, blues, pinks, and greens. Some are simple with subtle veining or patterns, whilst others offer striking arrangements that look like artistic paintings. Within the spectrum of Granites, there is a range from hard to soft which will affect the care and maintenance of each stone.

One of the most popular choices for worktops, a Granite surface is beautiful and varied as well as durable and functional. Cullifords have a range of the most sought-after Granites from, Brazil, Italy, Africa, India, and China to name just a few sources, bringing you the highest quality materials available in the market. We have many contacts and suppliers across the globe, so if you have particular Granite in mind that is not in our current range we are always happy to endeavour to source this for you.




- 01.
- 01. Azul Aran Granite Kitchen
- 02. Verde Marinace Granite
- 03. Patagonia Granite Backsplash
- 04. Rosso Marinace Granite bathroom wall feature



02










What to expect?

- When Cullifords source a block of Granite from a quarry, that block is cut into slabs. Though each slab will usually be similar in colour, pattern, and texture, it will not be identical; it may vary slightly through the block.
- Your fabricator will aim to cut the slabs to maximise
 the pattern flow and make sure all-important sections
 of the slab are used efficiently for your project, ensure
 you have discussed your personal preferences and
 requirements with your fabricator before cutting starts.
- A well-sealed Granite surface, that is cared for appropriately, should be relatively difficult to stain, we will discuss the sealing process in the "How to Care?" section.
- Being a natural material Granite can have pits or little
 holes in the surface where the crystals are very small
 and do not adhere to the surface, this would be evident
 during the selection process and would not affect the
 performance of the surface. In many cases these little
 pits will be filled by a film of resin, it depends on the
 stone type. Sometimes these holes are so small they
 do not take the resin, we aim to source blocks which
 have less of these features, but from time to time
 they can occur and they should not be considered an
 imperfection.

- We divide our Granites into soft and hard Granites, most Granites rarely scratch but we would always recommend using a chopping board, chopping directly onto your granite will result in knives becoming blunt. Soft Granite may scratch.
- Though Granites have been formed through high heat temperatures and can withstand a moderate amount of heat, it is still advisable to use trivets as your surface can receive a thermal shock and crack. Only Lundhs Granites have been officially tested to be deemed safe to accept a hot pan directly onto the surface.
- Granite is undoubtedly a strong stone, but as a worktop, it is only supported at the edges by the kitchen carcass, joins and cut-outs can be weaker points and the surface is not designed to support the weight of a person. Do not stand or sit on your surface or place very heavy objects on weaker points.
- Dropping a heavy or sharp object onto a Granite surface may cause it to chip or crack.
- Overtime and with use a build-up of oils and greases will gradually darken the appearance of your Granite surface. This can be revitalised with a deep clean with an appropriate product such as Lithofin Wexa or DryTreat Rejuvinata.







How to care?

- Natural stone is porous and therefore would absorb substances if untreated; it depends on the type of stone how porous it is. Hard Granite is only very slightly porous, whereas soft Granites will need more sealant. Sealants can either impregnate the surface of the stone filling the capillaries and reducing their absorbency or create a covering film on the surface. A good sealant will stop the ingress of water, oils and other liquids on all-natural stone and this protective layer will only enhance the durability of your surface. Discuss with your fabricator the options of sealant, which is the most suitable to the type of Granite you have chosen and their effect on the appearance of the surface. We would recommend DryTreat and Lithofin as they run training and accreditation on their products and offer advice about ensuring the right sealant for the right stone.
- For daily care of your surface wipe with a clean moist, soft cloth with either a dilute, mild soapy solution (such as liquid dish soap) or a daily Granite and Marble cleaner such as Method, DryTreat Rejuvinata Countertop Cleaner, or Lithofin Easy-Clean. Rinse the cloth and wring out then wipe over the surface again to clear any traces of soap. Then buff with a clean, dry microfiber cloth. Always ensure your cloth is clean. Never use an abrasive cloth or scouring pads. Do not use bleach or harsh cleaners. The darker and/or plainer Granite's can be susceptible to visual oil build-up from liquid dish soap so a more specialist cleaner as listed above would be recommended.
- It is always advisable to remove a spill as soon as you possibly can, by blotting away with a kitchen towel and then wiping the surface as advised above. The longer the spill sits on the surface the increased risk of it penetrating the surface. This is particularly important for acid-based products, e.g. vinegars, citrus, fizzy drinks, wine etc., oilbased substances e.g. butter, cooking oils and strongly coloured foods and liquids e.g. beetroot, red/dark fruits, turmeric, saffron, red wine.
- From time to time, we would advise a deeper clean with a product such as Lithofin Wexa or DryTreat Rejuvinata. It is important to use the product that is best suited to the sealant you have used.
- There are further maintenance and care advice on the Lithofin www.lithofin.com/en-gb and DryTreat www.drytreat.com websites.





02. Verde Lapponia Granite splashback

03. Verde Marinace Granite splashback

04. Black & White Marinace Granite



Marble

MARBLE IS A METAMORPHIC ROCK THAT IS FORMED WHEN LIMESTONE IS SUBJECTED TO HIGH PRESSURES AND HEAT OVER TIME. THIS PROCESS CAUSES THE SHELLS THAT FORMED THE LIMESTONE TO BREAK DOWN AND RECRYSTALLISE.

Marble can add a true elegance to a home and as with other natural stones, they give you a real sense of soul.

Marble is, therefore, harder than Limestone and able to receive a high polish but not as hard as Granite and natural Quartzites, although some hard Marbles and soft Quartzites have similar properties and need similar care and maintenance. Within the Marble category there is a spectrum of harder and softer Marbles, please be advised of this during the selection process and suitability for use, e.g. a softer Marble is not the best choice for a worktop, but fine for bathroom walls, floors or vanities. Marble like Limestone is still predominantly calcium carbonate.

Marbles come in a variety of colours depending on which minerals were present during the process of metamorphosis. In its purest form, it is white in colour but can range from soft pinks, greys and blues, to stronger greens, and reds with elegant veining and unique patterns. The organic beauty and opulence of Marble has made it a popular choice for generations.

Cullifords stocks a beautiful range of Marbles in honed and polished finishes, with exquisite patterns and colours, sourced from around the world. We have many contacts and suppliers across the globe, so if you have a particular Marble in mind that is not in our current range we are happy to endeavour to source this for you.





- **01.** Confusion Marble splashback
- **02.** Carrara Marble splashback
- 03. Tinos Marble clad kitchen with Carrara surfaces



What to expect?

- When Cullifords source a block of Marble from a quarry, that block is cut into slabs. Though each slab will usually be similar in colour, pattern and texture, it will not be identical; it is more likely to vary through the block than the average Granite.
- Your fabricator will aim to cut the slabs to maximise the
 pattern flow and make sure all-important sections of the
 slab are used efficiently for your project, ensure you have
 discussed your personal preferences and requirements
 with your fabricator before cutting starts.
- Marbles are porous materials and therefore would absorb substances if untreated. Marble should always be sealed with an appropriate sealant. If choosing Marble for a high use area such a worktop, they would need to be well sealed and this process repeated at regular intervals. A marble surface is likely to be more vulnerable to stains than most Granites. Choosing a busy patter is often a good consideration, the patterns of veins and breakouts of colour will allow stains to be disguised and less evident.
- Being a natural material Marble can have pits or little
 holes in the surface where the crystals are very small
 and do not adhere to the surface, this would be evident
 during the selection process and would not affect the
 performance of the surface. In many cases these little
 pits will be filled by a film of resin, it depends on the
 stone type. Sometimes these holes are so small they

- do not take the resin, we aim to source blocks which have less of these features, but from time to time they can occur and they should not be considered an imperfection.
- As a softer stone a marble could scratch and we would always recommend the use of a chopping board and be mindful of what is placed directly onto the surface. A honed Marble would make scratch marks less visible.
- Due to its calcium carbonate, makeup Marble is prone
 to etching. This is the process of acid reacting with the
 minerals in the surface and creating dull spots known as
 etches. This is different from a stain as etching is a small
 corrosive reaction at a microscopic level on the surface
 which changes the way light refracts off the surface.
- The etching is more visible in rooms with a lot of direct sunlight, a surface that is not in direct sunlight and a honed or textured surface would make etching less visible.
- Although Marble surfaces can withstand a moderate amount of heat, it is still advisable to use trivets for hot pans etc as your surface can receive a thermal shock and crack or it may cause some discolouration to the surface.
- Marbles vary in strength, as a work or vanity top or table consideration should be given to its support, joins and cut-outs can be weaker points and the surface is not designed to support the weight of a person.
- Do not stand or sit on your surface or place very heavy objects on weaker points.
- Dropping a heavy or sharp object onto a Marble surface may cause it to chip or crack.
- A Marble surface is undoubtedly beautiful, but it is not the right choice for everyone. It would require more maintenance and care than a Granite surface, and you would have to live with the odd knock, scratch, stain and etching. However, if you love something with character, soul and timeless elegance and appreciate age and patina as adding to its beauty, then it can make a striking addition to any project.



- 01. Confusion Marble wall feature
- 02. Jurassic Green Marble
- 03. Arabescato Corchia Bathroom

How to care?

- Natural stone is porous and therefore would absorb substances if untreated; it depends on the type of stone how porous it is. Marble in general, especially soft Marbles are one of the more porous stones. Sealants can either impregnate the surface of the stone filling the capillaries and reducing their absorbency or create a covering film on the surface. A good sealant will stop the ingress of water, oils and other liquids on all-natural stone and this protective layer will only enhance the durability of your surface. A sealant will not fully protect against etching. Discuss with your fabricator the options of sealant, which is the most suitable to the type of Marble you have chosen and their effect on the appearance of the surface. This process would need to be repeated over time to maintain the performance of your work surface. We would recommend DryTreat and Lithofin as they run training and accreditation on their products and offer advice about ensuring the right sealant for the right stone.
- For daily care of your surface wipe with a moist, soft cloth
 with either a dilute, mild soapy solution (such as liquid dish
 soap) or a daily Granite and Marble cleaners such as Method,
 DryTreat Rejuvinata Countertop Cleaner, or Lithofin EasyClean. Rinse the cloth and wring out then wipe over the
 surface again to clear any traces of soap. Then buff with a
 clean, dry microfiber cloth. Always ensure your cloth is clean.
 Never use an abrasive cloth or scouring pads. Do not use
 bleach or acid-based cleaners, always check the label.
- It is always advisable to remove a spill as soon as you
 possibly can, by blotting away with a kitchen towel and

- then wiping the surface as advised above. The longer the spill sits on the surface the increased risk of it penetrating the surface.
- This is particularly important for acid-based products, e.g. vinegars, citrus, fizzy drinks, wine etc., oil-based substances e.g. butter, cooking oils and strongly coloured foods and liquids e.g. beetroot, red/dark fruits, turmeric, saffron, red wine.
- Due to the propensity to etching extra care should always be made in cleaning acid-based spills as quickly as possible. Using coasters, mats and boards to prevent direct contact of acid-based foods or liquids with the surface is strongly advisable.
- You might get scratches and etches in the surface which makes up the patina of the surface as it ages with you.
 The good thing about soft Quartzites and Marbles is that, in most cases, they can be re-polished in situ to remove scratches and etching, it's a personal choice.
- From time to time, we would advise a deeper clean with a product such as Lithofin Wexa or DryTreat Rejuvinata. It is important to use the product that is best suited to the sealant you have used.
- There are further maintenance and care advice on the Lithofin www.lithofin.com/en-gb and DryTreat www.drytreat.com websites.





14

02. 03.

Engineered Quartz

ENGINEERED QUARTZ IS A MANMADE MATERIAL. THE MATERIAL IS FABRICATED BY CRUSHING NATURAL QUARTZ MINERALS AND MIXING THEM WITH RESINS, POLYMERS AND PIGMENTS, THEN MOULDING, COMPRESSING AND HEATING TO CREATE THE SLABS.

Not only does this produce a highly durable surface but also eases the maintenance of the surface.

Engineered Quartz comes in a large selection of colour and pattern from plain surfaces, Granite and Marble look-alikes, to bright bold colours, and since it is formed through an engineering process it is much easier to keep up with industry trends. Colours and patterns are always evolving to fit the demands of the market. If consistency and durability are key in your search then Engineered Quartz should be at the top of your list.








- 01. Cullifords Quartz Gris Savoie kitchen
- **02.** Cullifords Quartz Misty Carrara desk
- 03. Cullifords Quartz Pietra Grey kitchen






What to expect?

- Slight differences will occur between Quartz slabs as the
 patterns may vary slightly due to particle structure, or
 due to small spots and faints, that can occur naturally due
 to the natural minerals that are a part of the compound.
 However, it is the most uniform of the surfaces we
 provide.
- Quartz has low porosity and does not require the use of surface sealants. Quartz is highly stain-resistant, but as with all surfaces, spills should be removed as soon as possible especially highly coloured food and liquids.
- Quartz is not resistant to UV, over time the surface will fade a little and lose its lustre.
- Quartz is not resistant to heat so trivets must be used at all times. This sounds odd, but the resins used in the material may be affected by heat.

- Quartz is highly resistant to scratching but we would always recommend a chopping board, knives will become blunt cutting directly on the surface!
- Engineered Quartz is a strong material, but as a worktop, it is only supported at the edges by the kitchen carcass.
 Joins and cut-outs can be weaker points and the surface is not designed to support the weight of a person. Do not stand or sit on your surface or place very heavy objects on weaker points.
- Dropping a heavy or sharp object onto an Engineered Quartz surface may cause it to chip or crack.



How to care?

- For daily care of your surface wipe with a moist, soft cloth with either a dilute, mild soapy solution (such as liquid dish soap) or a daily Granite and Marble cleaners such as Method, DryTreat Rejuvinata Countertop Cleaner, or Lithofin Easy-Clean. Rinse cloth and wring out then wipe over the surface again to clear any traces of soap. Then buff with a clean, dry microfiber cloth. Always ensure your cloth is clean. Never use an abrasive cloth or scouring pads.
- It is always advisable to remove a spill as soon as you
 possibly can, by blotting away with a kitchen towel
 and then wiping the surface as advised above. The
 longer the spill sits on the surface the increased risk
 of it penetrating the surface.
- This is particularly important for acid-based products, e.g. vinegars, citrus, fizzy drinks, wine etc., oil-based substances e.g. butter, cooking oils and strongly coloured foods and liquids e.g. beetroot, red/dark fruits, turmeric, saffron, red wine.
- Avoid using highly aggressive cleaning agents such as oven/grill cleaners and dishwater polishing agents that have high alkaline/pH levels (pH 8.5 or higher), abrasive scrubs and cleaners that contain either soft or hard abrasive particles and cleaners that contain xylene, toluene, potassium hydroxide or caustic soda.
- Further information and advice can be found at www.radianz-quartz.com



- **01.** Cullifords Quartz Pietra Grey kitchen
- 02. Cullifords Quartz Bianco Eclipsia Kitchen
- 03. Radianz Quartz Lucern Lake
- 04. Radianz Quartz Lucern Lake









Natural Quartzite


QUARTZITE IS ANOTHER FORM OF NATURAL STONE; IT IS A HARD, NON-FOLIATED METAMORPHIC ROCK THAT WAS ORIGINALLY SANDSTONE, THROUGH A PROCESS OF HEAT AND PRESSURE OVER MILLIONS OF YEARS THE QUARTZ-RICH SANDSTONE RECRYSTALLIZES RESULTING IN A NETWORK OF INTERLOCKING QUARTZ GRAINS.

As with all-natural stones, there is a range within Quartzites of soft to hard and this information must be understood in relation to the stones intended use, care and maintenance.

As the industry leans more towards a marbled look, Quartzites have increased in popularity as it offers the on-trend look with added durability, however, a soft Quartzite would perform more like a Marble.



02







- **01.** Fusion Wow Light Green Soft Quartzite Kitchen
- 02. Nuvola Soft Quartzite
- 03. Fusion Blue Soft Quartzite table
- **04.** Taj Mahal Hard Quartzite splashback
- **05.** Nuvola Soft Quartzite kitchen







05.

What to expect?

- When Cullifords source a block of Quartzite from a quarry, that block is cut into slabs. Though each slab will usually be similar in colour, pattern and texture, it will not be identical; it is more likely to vary through the block than the average Granite, it varies similarly to Marble.
- Your fabricator will aim to cut the slabs to maximise the pattern flow and make sure all-important sections of the slab are used efficiently for your project, ensure you have discussed your personal preferences and requirements with your fabricator before cutting starts.
- Quartzites are naturally porous materials and therefore
 would absorb substances if untreated. Quartzites
 should always be sealed with an appropriate sealant.
 As referenced above Quartzites range from soft to hard
 and their care and maintenance would alter accordingly.
 If choosing a soft Quartzite for a high use area such a
 worktop, they would need to be well sealed and this
 process repeated at regular intervals as the surface is
 likely to be more vulnerable to stains. A hard Quartzite
 would perform more like a hard Granite or Engineered
 Quartz.
- As a softer stone, a soft Quartzite could scratch and we
 would always recommend the use of a chopping board
 and be mindful of what is placed directly onto the surface.
 A honed or satinato texture would make scratch marks
 less visible. A hard Quartzite would perform more like a
 hard Granite.

- Being a natural material Quartzites can have pits or little holes in the surface where the crystals are very small and do not adhere to the surface, this would be evident during the selection process and would not affect the performance of the surface. In many cases these little pits will be filled by a film of resin, it depends on the stone type. Sometimes these holes are so small they do not take the resin, we aim to source blocks which have less of these features, but from time to time they can occur and they should not be considered an imperfection.
- A soft Quartzite can be prone to etching. This is the
 process of acid reacting with the minerals in the surface
 and creating dull spots known as etches. This is different
 from a stain as etching is a small corrosive reaction at a
 microscopic level on the surface which changes the way
 light refracts off the surface. The etching is more visible
 in rooms with a lot of direct sunlight, a surface that is not
 in direct sunlight and a honed or textured surface would
 make etching less visible.
- Although Quartzite surfaces can withstand a moderate amount of heat, it is still advisable to use trivets for hot pans etc as your surface can receive a thermal shock and crack or it may cause some discolouration to the surface.
- Quartzites are a strong stone, but as a worktop, it is only supported at the edges by the kitchen carcass. Joins and cut-outs can be weaker points and the surface is not designed to support the weight of a person. Do not stand or sit on your surface or place very heavy objects on weaker points.
- Dropping a heavy or sharp object onto a quartzites surface may cause it to chip or crack.
- A soft Quartzite surface is undoubtedly beautiful, but it is not the right choice for everyone. It would require more maintenance and care than Granite or Engineered Quartz surface, and you would have to live with the odd knock, scratch, stain and etching. However, if you love something with character, soul and timeless elegance and appreciate age and patina as adding to its beauty, then it can make a striking addition to any project.



How to care?

- Natural stone is porous and therefore would absorb substances if untreated. A soft Quartzite is one of the more porous stones. Sealants can either impregnate the surface of the stone filling the capillaries and reducing their absorbency or create a covering film on the surface. A good sealant will stop the ingress of water, oils and other liquids on all-natural stone and this protective layer will only enhance the durability of your surface.
- A sealant will not fully protect against etching. Discuss
 with your fabricator the options of sealant, which is the
 most suitable to the type of surface you have chosen
 and their effect on the appearance of the surface.
 This process would need to be repeated over time to
 maintain the performance of your work surface. We
 would recommend DryTreat and Lithofin as they run
 training and accreditation on their products and offer
 advice about ensuring the right sealant for the right
 stone.
- For daily care of your surface wipe with a moist, soft cloth with either a dilute, mild soapy solution (such as liquid dish soap) or a daily Granite and Marble cleaner such as Method, DryTreat Rejuvinata Countertop Cleaner, or Lithofin Easy-Clean. Rinse the cloth and wring out then wipe over the surface again to clear any traces of soap. Then buff with a clean, dry microfiber cloth. Always ensure your cloth is clean. Never use an abrasive cloth or scouring pads. Do not use bleach or acid-based cleaners, always check the label.

- Remove a spill as soon as you possibly can, by blotting away with a kitchen towel and then wiping the surface as advised above. The longer the spill sits on the surface the increased risk of it penetrating the surface.
- This is particularly important for acid-based products, e.g. vinegars, citrus, fizzy drinks, wine etc., oil-based substances e.g. butter, cooking oils and strongly coloured foods and liquids e.g. beetroot, red/dark fruits, turmeric, saffron, red wine.
- Due to the propensity to etching extra care should always be made in cleaning acid based spills as quickly as possible. Using coasters, mats and boards to prevent direct contact of acid-based foods or liquids with the surface is strongly advisable.
- From time to time we would advise a deeper clean with a product such as Lithofin Wexa or DryTreat Rejuvinata. It is important to use the product that is best suited to the sealant you have used.
- You might get scratches and etches in the surface which makes up the patina of the surface as it ages with you. The good thing about soft Quartzites and Marbles is that, in most cases, they can be re-polished in situ to remove scratches and etching, it's a personal choice.





フラ

02. 03.

Ceramics

CERAMIC IS A MAN-MADE SURFACE PRODUCED BY COMBINING CERAMIC CLAYS AND MINERAL COLOURINGS, PRESSED TO CREATE THE SHAPE, THEN PRINTED ON AND FIRED TO CREATE A LARGE SLAB.

They have extremely practical properties and the manufacturing process enables patterns to be placed on these surfaces through digital imagery. This allows a quick response to the growing demands of new trends within the market.



02.

01

01. Black Basalt BBQ

02. Grey Earth kitchen island



What to expect?

- This material will have high levels of consistency when it comes to colours and patterns. As the appearance is created through digital imagery it can imitate Marble, Quartz, Granite, even concrete, wood and metal.
- This versatile material can be used for outdoor spaces, indoor worktops, flooring, walls and cladding. The slabs arrive in a 12mm thickness allowing a sleek look to be created, a deeper work surface appearance can be created by mitring and cladding. 6mm slabs can also be supplied for cladding and flooring.
- The Ceramic surface is non-porous and would not require sealing, once cut the exposed edges are porous and would need to be treated, some masonry wax colouring may need to be applied too.
- When planning design features, such as draining grooves and mitred edges, we would recommend asking your fabricator for a mocked-up sample, so you can be satisfied with the finished look.

- In comparison to other surfaces, Ceramics have excellent heat and scratch resistance; you can safely put hot pans on the work surface or cut directly without a chopping board. However, we would always advise caution.
- Knives, although may not scratch, could leave a metal transfer instead. And on Ceramic induction hobs, a hot pan can be boiling over which may leave very stubborn marks welded to the surface. We always remain cautious about most manufacturers' claims when it comes to the durability of man-made products.
- Ceramic surfaces are strong, but as a worktop, it is only supported at the edges by the kitchen carcass. Joins and cut-outs can be weaker points and the surface is not designed to support the weight of a person. Do not stand or sit on your surface or place very heavy objects on weaker points.
- Dropping a heavy or sharp object onto a Ceramic surface may cause it to chip or crack. Its hardness can make it more susceptible to chipping, particular on the edges, i.e around a sink



How to care?

• For daily care of your surface wipe with a moist, soft cloth with a dilute, mild soapy solution (such as liquid dish soap) or common cleaning products. Rinse the cloth and wring out then wipe over the surface again to clear any traces of soap. Then buff with a clean, dry microfiber cloth. Always ensure your cloth is clean. Never use an abrasive cloth or scouring pads.



- 01. Uni Ice kitchen
- 02. Urban Antracite kitchen
- 03. Palladium Grey kitchen
- 04. Calacatta Light kitchen



- 01. White Beauty Decorative Marble feature wall
- 02. Opera D'Arte Decorative Marble
- 03. Arabescato Cervaiole Marble bathroom wall
- **04.** Rosso Luana Marble

Decorative Marble

DECORATIVE MARBLE IS OUR TERM FOR MARBLES
THAT WE WOULD NORMALLY USE FOR CENTREPIECE
STATEMENTS ON FEATURE WALLS AND FLOORS,
ARCHITECTURAL DETAILS, COLUMNS OR DECORATIVE
FURNITURE.

The majority of these stones are historic Marbles that have been quarried for centuries such as Nero Portoro, Belgian Black, Royal Blue, or Opera Fantastico. These amazing stones have been used in palaces, mansions and grand buildings over the years and are the stones that have created the image of Marble as the most luxurious of surface products available. New to this section are Marbles from China, Africa, the Far East and South America, which have developed as the market for colourful Marbles has expanded beyond traditional European quarries.

We do see many clients using some of these more fragile and beautiful materials for work surfaces and would encourage any user to follow their design vision to create a truly special room but would always advise caution if they are thinking that anything in this selection will fall under the durable and practical heading.

As discussed above, the majority of materials in this selection will be Marbles, but there will be certain materials without a pigeon hole as their geological make-up is unique compared to a broad classification. These may include Calcites, Sodalites, Haematites and semi-precious stone conglomerates.







- **01.** Green Onyx
- 02. Green Onyx
- 03. Pink Onyx

Onyx

A TRUE ONYX IS MADE OF SILICA, BUT WITHIN THE STONE INDUSTRY, ONYX REFERS TO A GROUP OF STONES MADE UP OF BANDED CALCITES AND OTHER CARBONATE MATERIALS.

In its make-up it can form in a similar way to Limestone and Travertine, these materials form in beds with 'sedimentary' lines, enabling cutting of the block across or through the vein, allowing greater variance of pattern and colour from slab to slab. The colour spectrum is extensive from greens, reds, greys and pinks with pure white being the most sought after. Onyx is one of only a small selection of natural materials that are translucent, allowing light to pass through them amplifying their natural beauty and adding a further dimension to your design. The rarity of the stone makes it more desirable, thus Cullifords prides itself in finding the best quality slabs.

In recent years it has become a popular choice in interior design. It has been used as kitchen worktops, flooring, reception desks, bar tops, saunas, and wall cladding among others, however, as with all decorative materials they are very delicate and require more maintenance than the average stone. They will scratch and they will stain, so must be well sealed and cared for with appropriate cleaning products. They will also come with many inherent characteristics that need to be considered when choosing, such as similar pitting described in the Granite, Marble & Quartzite sections previously. As with all softer natural materials they can be restored & rejuvenated over time by professional restorers.







Limestone

LIMESTONE IS A SEDIMENTARY ROCK THAT IS COMPOSED OF CALCIUM CARBONATE, THE FORMATION OCCURS IN CLEAR, WARM, SHALLOW MARINE WATERS.

It is a soft and porous natural stone that requires care to preserve its neutral coloured beauty. It's mainly used by architects and designers for bathrooms, flooring and fireplaces due to its properties but also because it is easy to cut and shape.

At Cullifords we supply Limestones in slabs and cut to size tiles. Limestones come in many muted tones, from soft greys, through to creams and warm golden colours. This colour palette and their relative affordability mean they are a popular material to use all around the home. Limestones are sedimentary, so different cuts will produce different looks. They will have varying amounts of fossils and features in them. These features are to be embraced, and often the more patterned with fossils they are the more forgiving they are in upkeep. However, a highly fossiled Limestone will display a greater variance in appearance between individual slabs and tiles. Limestone is a more porous stone and needs to be well sealed with an appropriate sealant and repetition of this process over time. It should be cleaned with an appropriate cleaner supplied by Lithofin or DryTreat.





Travertine

THIS IS ONE OF THE OLDEST NATURAL STONES
USED FOR BUILDING MATERIALS; IT IS A FORM OF
LIMESTONE THAT IS DEPOSITED BY HOT MINERAL
SPRINGS, THIS PROCESS OF FORMATION MEANS IT
HAS LITTLE HOLES RUNNING THROUGHOUT IT.

These holes are either filled with a resin or cement to give a smoother appearance or left open for a more rustic, natural look.

Travertine comes in natural colours such as white, tan, cream, and rust depending on which minerals were present during formation. It can have a concentric or a veined appearance depending on how it is cut.

Travertine is soft and a porous stone so will need to be well sealed with an appropriate sealant with repetition of this process over time. It should be cleaned with an appropriate cleaner supplied by Lithofin or DryTreat.





- **01.** Limestone bathroom
- 02. Split Limestone steps
- 03. Varied Travertine floor
- 04. Travertine Light shower

Slate

SLATE IS A FINE-GRAINED, FOLIATED ROCK, FORMED WHEN THE ORIGINAL MATERIAL, USUALLY MUDROCK OR SHALESTONE, CHANGED OVER TIME, AT LOW PRESSURE AND RELATIVELY LOW TEMPERATURE.

As with many natural stones, it varies in hardness. It is a popular material for uses such as flooring, fireplaces and in its harder form for worktops. We supply Italian Black Slate for fire hearths and surrounds; this is softer in its makeup, a typical Slate that you would use in billiard or blackboards.

Slate comes in many colours; the most popular colours are grey in which the shades range from light to dark. However, it is possible to find other colours such as red, green, black, purple etc. depending on the type of iron or raw material present in the rock.

- 01. Brazilian Black slate shower enclosure
- 02. Black Slate tiled backsplash
- 03. Riven Black Slate floor tiles







SELECTING SOME OF THE MOST EXOTIC AND INTERESTING STONES AND OFFERING UNRIVALLED EXPERTISE AND ACCESS TO MANY OF THE WORLD'S FINEST SURFACES, CULLIFORDS IS THE GO-TO DESTINATION FOR TRUE STATEMENT PIECE MATERIALS FOR ANY APPLICATION IN THE HOME, WHETHER IT IS FOR YOUR KITCHEN WORKTOP, YOUR BATHROOM WALLS OR YOUR FIREPLACE SURROUND. THE BREADTH OF CHOICE COMBINED WITH THE COMPANY'S DEPTH OF KNOWLEDGE IS GUARANTEED TO PROVIDE YOU A SURFACE MATERIAL THAT IS UNIQUE TO YOU AND YOUR HOME.



